

OF▲HEALTH May 15, 1991

ROY ROMER

Governor

Mr. Martin Hestmark

JOEL KOHN Interim Executive Director U.S. Environmental Protection Agency

Region VIII

999 18th Street, Suite 500, 8WM-C

4210 East 11th Avenue Denver, Colorado 80220-3716 Phone (303) 320-8333

Denver, Colorado 80202-2405

Telefax Numbers. Main Building/Denver (303) 322-9076

Ptarmigan Place/Denver (303) 320-1529

RE: REVIEW AND COMMENT: HISTORICAL INFORMATION SUMMARY AND PRELIMINARY HEALTH RISK ASSESSMENT (the Reservoir Report) - OPERABLE UNIT 3: IHSS's 200, 201, AND 202, FINAL First National Bank Building/Denver DRAFT, APRIL, 1991

(303) 355-6559

Grand Junction Office (303) 248-7198

Dear Mr. Hestmark,

The Colorado Department of Health, Hazardous Materials and Waste Management Division (the Division), has reviewed the above referenced document submitted by DOE and it's prime operating contractor, EG&G. The Division's comments are attached.

As with the Remedy Report for OU 3, the Division found this version of the Reservoir Report to be much improved in comparison to the previously submitted draft version. Because of this improvement, the Division recommends granting approval of the Reservoir Report when the attached comments are satisfactorily addressed.

Attached, please find comments from the Division, comments from Norma C Morin, Ph D., M.P.H of the Rocky Flats Program Unit, and comments from R.W. Terry of the Radiation Control Division. These comments need to be addressed to The Division did not the extent they are applicable. expect the risk assessment portions of this document to constitute a Baseline Risk Assessment as some of the comments imply

If you have any questions concerning these comments, please call Joe Schieffelin of my staff at 331-4421.

Sincerely,

Gary W. Baughman

Unit Leader, Hazardous Waste Facilities

Hazardous Materials and Waste Management Division

cc: Fraser Lockhart, DOE Bob Birk, DOE Tom Greengard, EG&G Michael Guillaume, EG&G Barbara Barry, RFPU Norma C. Morin, RFPU

Rob Terry, RCD-CDH